



SHOWROOM LINE



Cleaners

CEMENT REMOVER

Concentrated acid-based cleaner for post-installation cleaning to remove cement residues and inorganic dirt.

CEMENT REMOVER is a concentrated acid-based cleaner specifically formulated for the post-installation cleaning of flooring or coverings installed with cement-based grout.

The action of **CEMENT REMOVER** eliminates all residues of glue, grout, and varnish, without changing the color of joints and restoring the original appearance of the treated surfaces. It is also extremely effective when it comes to removing inorganic dirt and saline efflorescence. **CEMENT REMOVER** can be applied only on acid-resistant materials and surfaces.

BENEFITS

- ✓ Concentrated Formula
- ✓ High cleaning power
- ✓ Great de-scaling action
- ✓ Versatile

USES

Suitable for indoor and outdoor applications.

Suitable for Marble-quartz agglomerate, Slate, Sandstone, Basaltina - Lava stone, Molten basalt, Glazed ceramics, Clinker, Bricks, Granite, Polished porcelain tiles, Natural porcelain tiles, Textured porcelain tiles, Reconstituted stone (Eco stone), Porphyry, Quarzite, Terracotta, Tuff

COVERAGE

10/15 m²/l

APPLICATION EQUIPMENT

White Pad, Single disk machine

APPLICATION STEPS

Before applying the product it is necessary taking a preliminary test to evaluate the suitability of the product on an unexposed area or unused piece of material

Surface Preparation

- Before proceeding with the cleaning, it is advisable to clean away any surface residues, such as dust, debris, and coarse dirt, using a broom or a vacuum cleaner.
- Wait for the surface to be treated to be completely dry.
- Any surfaces close by not to be treated with the product must be protected.
- Apply the product to surfaces with a temperature between +5 and +40°C
- When applying to recently laid or grouted surfaces, wait at least 2 days for the adhesive or grout to cure completely.

Application

- Dilute the product in clean water. Pour 1 part product into 2 parts of water.
- Begin to work the product on the surface, rubbing the surface with the tool of your choice.
- Let the product act for 5 - 10 minutes, while working the product every now and then to boost and aid the cleansing action of the product.
- Once the time has passed, remove all residues and rinse the whole floor with plenty of water. If the result is only partially achieved, repeat the application process following the same steps and if necessary, slightly increase the concentration of the product in water.

MADE IN ITALY

100%



SHOWROOM LINE

**APPLICATION STEPS***Resume surface use*

- Dopo aver accuratamente rimosso i residui e risciacquato il supporto con acqua, non è necessario attendere oltre.

COMPLEMENTARY MAINTENANCE PRODUCTS

After cleaning with **CEMENT REMOVER** we recommend using the most suitable Faber cleaner, such as **NEUTRAL CLEANER** or **FLOOR CLEANER**, depending on the nature of the surface.

INSTRUCTIONS AND GUIDELINES

- Do not apply the product on wet or heated surfaces
- When applying to recently laid or grouted surfaces, wait at least 2 days for the adhesive or grout to cure completely.
- Do not use in combination with other chemicals
- Before applying the product it is necessary to take a preliminary test to evaluate its suitability
- Do not apply on acid-sensitive materials

EQUIPMENT CLEANING

The equipment used can be cleaned with water

PHYSICAL AND TECHNICAL DATA

Formula	Liquid
Color	Light Green
Odor	Typical
pH	1,5 ± 0,5
Specific gravity at 20°C	1110 ± 20 g/l

STORAGE

Keep the container tightly closed and store in a cool, dry place.

SHELF LIFE

36 months in the original, sealed packaging, stored in a cool, dry place.

PACKAGING

1 l bottles - 12 bottles per box
5 l bottles - 4 bottles per box
10 l tanks

ACCIDENTAL SPILLS

Soak up the product with an absorbent material (paper towels, sawdust, vermiculite, etc.) and dispose of it in the most suitable waste container.

SAFETY

When applying the product, always use suitable personal protective equipment and follow the instructions on the product safety data sheet with care.

Rev4.0 – 12/09/2022

This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on www.fabersurfacecare.com site. Faber Chimica reserves the right to update and/or modify the data and information contained in the datasheet.

The information in this data sheet is based on our wide experience in technical and operational research. In any case, you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability concerning the use of such data and suggestions.